



**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>1. A method of viewing, on a remote viewing device of a video surveillance system, multiple simultaneously displayed and stored video images, comprising the steps of:</p> <p>[1.0]</p>	<p style="text-align: right;"><b>CompleteView 20/20 VMS</b></p> <div data-bbox="436 373 656 424" data-label="Image"> </div> <h2 style="text-align: center;">TOUCHVIEW MOBILE</h2> <p><b>[Comment: Salient TouchView Mobile is powered by the Salient CompleteView 20/20 VMS and allows the user to access HD Videos from CompleteView 20/20 recording server (Cloud based surveillance system). The user can view multiple live and recorded videos, that are recorded by recorders, on his mobile device using the TouchView Mobile App.]</b></p> <h2 style="text-align: center;">TOUCHVIEW MOBILE</h2> <p>Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. <u>TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</u></p> <p><u>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control.</u> CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <div data-bbox="396 1155 1323 1669" data-label="Complex-Block"> <div style="display: flex;"> <div style="flex: 1;"> <h3>FEATURES</h3> <ul style="list-style-type: none"> <li>Seamless integration with Salient's CompleteView 20/20 VMS</li> <li>Full interaction with CompleteView 20/20 live video, audio and recordings</li> <li>Utilizes CompleteView 20/20's Dynamic Resolution</li> <li>Scaling providing optimized video transmission over slow connections</li> <li>Incorporates analog, IP, megapixel, and HD video available from CompleteView 20/20</li> <li>On-screen PTZ camera controls</li> <li>Built in support for analog cameras, IP cameras and encoders</li> <li>Advanced playback capability, including scrub bar control</li> <li>Customizable view layouts</li> <li>Secure Connections using HTTPS</li> </ul> </div> <div style="flex: 1;"> </div> </div> </div> <p><b>[See: Page 1 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView Mobile Brochure Dec18_web.pdf</a>]</b></p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>receiving video images at a personal computer based system from a plurality of video sources, wherein each of the plurality of video sources comprises a camera of the video surveillance system;</p> <p>[1.1]</p>	<p><b>[Comment: The TouchView Mobile App receives videos from multiple cameras. The video feeds can also be viewed on any client device (such as a PC etc.) via Complete View 20/20 VMS.]</b></p> <p>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control. CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <div data-bbox="391 667 1122 1339">  </div> <p>CompleteView 20/20 is the engine of Salient Security Platform's VMS. In its simplest form, a <u>Video Management System consists of Cameras, Video Servers and Video Clients.</u></p> <p>Cameras generate video streams. Servers accept video streams as input, perform video stream processing, record video, and make <u>live and recorded video available to video clients.</u> Clients present live and recorded video from servers to end-users.</p>


**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
	<p><b>Camera Panel</b></p> <p>The Camera Panel provides both real-time video alerts as well as video associated with an alarm or motion event generated by the server or its associated alarm devices or cameras. Analog video associated with an alarm also displays in the panel.</p> <p>Using the Layout Options menu and the Camera Layout submenu, users select from 4- 64 cameras to populate the Camera Panel. The panels in Alarm View may be floated.</p>  <p>[See: Page 1,2 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf</a>; <a href="https://play.google.com/store/apps/details?id=com.salientsystems.complteviewnvr&amp;hl=en">https://play.google.com/store/apps/details?id=com.salientsystems.complteviewnvr&amp;hl=en</a> ; <a href="https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile">https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile</a> ; Page 18, 42 <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a> ]</p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>digitizing any of the images not already in digital form using an analog-to-digital converter;</p> <p>[1.2]</p>	<p><b>[Comment: TouchView Mobile provides in-built support for analog cameras and encoders. Also in CompleteView 20/20 VMS, the user can configure the settings for analog cameras to convert videos into any format such as H.264, MPEG-4 and so on.]</b></p> <div data-bbox="394 472 902 930"> <h3>FEATURES</h3> <ul style="list-style-type: none"> <li>Seamless integration with Salient's CompleteView 20/20 VMS</li> <li>Full interaction with CompleteView 20/20 live video, audio and recordings</li> <li>Utilizes CompleteView 20/20's Dynamic Resolution</li> <li>Scaling providing optimized video transmission over slow connections</li> <li>Incorporates analog, IP, megapixel, and HD video available from CompleteView 20/20</li> <li>On-screen PTZ camera controls</li> <li>Built in support for analog cameras, IP cameras and encoders</li> </ul> </div> <div data-bbox="922 472 1487 930"> <h3>Add Analog Cameras</h3> <p><b>Note:</b> The capture card must be added to the Recording Server before proceeding.</p> <p><b>Steps:</b></p> <ol style="list-style-type: none"> <li>1. Select Analog as the Connection Type</li> <li>2. Select Driver Type Gen II</li> <li>3. The capture card's channels will appear</li> <li>4. Check the boxes associated with the camera channels to be enabled</li> <li>5. Camera names can be added by clicking in the Camera Name box and entering a camera name in place of the default text (Gen II Capture Card #)</li> <li>6. Set Resolution, Compression, and FPS changes that may apply</li> <li>7. Select Add</li> <li>8. Save the configuration</li> </ol> </div> <div data-bbox="402 997 1451 1318"> </div> <p><b>Discovering Video Devices</b></p> <p>Clicking the Video Device button outlined below launches a Camera Discovery subpanel. The Video Devices panel displays cameras, capture cards and encoders that have been discovered, but are not yet added to a Recording Server.</p> <p>When the panel is closed, the Video Device button is found at the bottom left corner of the Camera Settings Panel.</p> <p><b>[See: Page 135, 137, 162</b>  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>; Page 1 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec_18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec_18_web.pdf</a> ]</p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>displaying one or more of the digitized images in separate windows on a personal computer based display device, using a first set of temporal and spatial parameters associated with each image in each window;</p> <p>[1.3]</p>	<p><b>[Comment: The TouchView Mobile App/ CompleteView VMS displays the videos from different cameras in separate windows (as shown). Each window is associated with spatial (such as the image frame dimensions in pixels etc.) and temporal (such as the video Frame Rate etc.) parameters. Further, TouchView/CompleteView video system provides alerts and alarms with intelligent camera analytics.]</b></p>  <p>The image shows a promotional graphic for the 'TouchView Mobile App'. At the top, a red banner contains the text 'TouchView Mobile App' in white. Below the banner, a bulleted list states: 'Free TouchView Mobile App available for iPad, iPhone, and Android'. The central visual is a hand holding a tablet displaying a grid of eight camera feeds from a security system. To the right of the tablet is a white iPhone displaying a single camera feed. Both the tablet and phone screens have a green rectangular border around the video content. At the bottom right, the 'SALIENT SYSTEMS' logo is visible.</p>





**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<p><b>Patent Claim Language</b></p>	<p><b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b></p>
	<div data-bbox="396 310 1276 380" data-label="Section-Header"> <p><b>Video Client – Media and Multiview</b></p> </div> <div data-bbox="467 390 1239 1010" data-label="Image"> </div> <div data-bbox="391 1062 1276 1717" data-label="Image"> </div>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS****Patent Claim Language****TouchView Mobile - Salient's CompleteView 20/20 VMS****Alarm View Panels**

The default Alarm Panel consists of four panels. Each of the panels and their features will be detailed in its own section.



**Triggering Video Alerts**

Alarm View camera tiles remain black, illustrated above, until either motion or an alarm are triggered. To generate video, the Administrator will properly configure motion recording and establish an Alarm and Motion Display schedule. Click [Recording Servers Camera Motion Panel](#) to learn more about configuring motion recording.

[See: Page 41, 42

[https://www.salientsys.com/assets/uploads/docs/CV\\_2020\\_v1.0.0\\_Documentation\\_Jan19.pdf](https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf); <https://slideplayer.com/slide/11905526/>]

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**


<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>converting one or more of the video source images into a selected video format in a particular resolution, using a second set of temporal and spatial parameters associated with each image;</p> <p>[1.4]</p> <p><b>Note:</b></p> <p>The computer storage format is a "container" for the audio and video information, which is encoded in some compression codec. Popular computer storage formats include MOV, AVI, etc.</p>	<p><b>[Comment: TouchView Mobile/ CompleteView VMS automatically scales the video being rendered on the mobile device.]</b></p> <p>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control. CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <p>Show Stream Properties</p> <p>Show Stream Properties displays Compression, Frames Per Second, Resolution, Bitrate, and Transcoder information from the Recording Server to Live View. Users may select the display location for the stream's properties.</p>  <p>6. Set Resolution, Compression, and FPS changes that may apply</p>  <p>7. Select Add</p> <p>8. Save the configuration</p> <p>Resolution Resolution setting for the camera, contains a pull-down menu; Auto will display for most network cameras</p> <p>Compression MJPEG, MPEG4, H.264</p> <p>FPS Selectable Frames Per Second</p> <p><b>[See: Page 52, 132 and 140</b>  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>; <a href="https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile">https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile</a>]</p>



**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>contemporaneously storing at least a subset of the converted images in a storage device in a network environment;</p> <p>[1.5]</p>	<p><b>[Comment: The Salient VMS Server stores the videos in a networked environment, where the videos can be simulatneously viewed on any client device (Mobile/Desktop).]</b></p> <h2 data-bbox="407 472 911 520">TOUCHVIEW MOBILE</h2> <p data-bbox="407 567 1291 724">Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. <u>TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</u></p> <p data-bbox="407 751 1291 909">Users can instantly access, monitor and review live and recorded video from <u>any camera connected to any CompleteView 20/20 recording server in the system.</u> And, <u>cameras from multiple servers can be accessed simultaneously with PTZ control.</u> CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <div data-bbox="440 947 1109 1614"> </div> <p data-bbox="407 1686 1401 1743">CompleteView 20/20 is the engine of Salient Security Platform's VMS. In its simplest form, a Video Management System consists of Cameras, Video Servers and Video Clients.</p> <p data-bbox="407 1755 1433 1835">Cameras generate video streams. Servers accept video streams as input, <u>perform video stream processing, record video, and make live and recorded video available to video clients.</u> Clients present live and recorded video from servers to end-users.</p> <p data-bbox="407 1850 1330 1877">CompleteView 20/20 implements these functions through three primary components.</p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
	<p><b>Core Components</b></p> <p>The core components of CV20/20 include the management server, recording server, and desktop client.</p>  <pre> graph TD     MS[Management Server] &lt;--&gt; RS[Recording Server]     MS &lt;--&gt; DC[Desktop Client]     RS &lt;--&gt; DC </pre> <p>The above diagram illustrates these core components and their interactions. Components will be able to interact with one another through service calls and by listening to events. Management server will serve as central repository of all data related to the entire system. Recording server will be responsible for all VMS functionalities and services. Desktop client will be the user facing tool for both administering and monitoring the system. All other components, servers and clients will be built based on these core components.</p> <p><b>[See: Page 18 and 19</b>  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>; <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf</a> ]</p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**



Patent Claim Language	TouchView Mobile - Salient's CompleteView 20/20 VMS																																																							
<p>providing a communications link to allow an external viewing device to access the storage device;</p> <p>[1.6]</p>	<p><b>[Comment: The CompleteView 20/20 VMS enables the remote device (such as a mobile phone or a tablet) to view the videos stored on CompleteView servers over the Internet.]</b></p> <p>Salient's TouchView mobile app has cross platform 'configuration compatibility' with the web client, allowing users to build configurations in the mobile app and transfer them for use in the web client. Combined with Dynamic Resolution Scaling, Salient's network friendly feature for bandwidth management and TouchView Mobile apps for Apple and Android smartphones and tablets, <u>CompleteView offers the fastest call up of megapixel resolution video over remote internet connections.</u></p> <div><table><thead><tr><th>TIME</th><th>EVENT</th><th>CAMERA</th><th>SERVER</th><th>DESCRIPTION</th></tr></thead><tbody><tr><td>02:05:46 PM</td><td>Motion Start</td><td>5</td><td>Salient 01</td><td>Visual entry</td></tr><tr><td>02:05:48 PM</td><td>Motion Stop</td><td>5</td><td>Salient 01</td><td>Visual entry</td></tr><tr><td>02:05:49 PM</td><td>Motion Start</td><td>4</td><td>Salient 01</td><td>Visual entry</td></tr><tr><td>02:05:50 PM</td><td>Motion Stop</td><td>4</td><td>Salient 01</td><td>Visual entry</td></tr><tr><td>02:05:51 PM</td><td>Motion Start</td><td>5</td><td>Salient 01</td><td>Visual entry</td></tr><tr><td>02:05:52 PM</td><td>Motion Stop</td><td>5</td><td>Salient 01</td><td>Visual entry</td></tr><tr><td>02:05:53 PM</td><td>Motion Start</td><td>4</td><td>Salient 01</td><td>Visual entry</td></tr><tr><td>02:05:54 PM</td><td>Motion Stop</td><td>4</td><td>Salient 01</td><td>Visual entry</td></tr><tr><td>02:05:55 PM</td><td>Motion Start</td><td>5</td><td>Salient 01</td><td>Visual entry</td></tr><tr><td>02:05:56 PM</td><td>Motion Stop</td><td>5</td><td>Salient 01</td><td>Visual entry</td></tr></tbody></table></div> <p>Create a Map in Custom/Favorites</p> <p>The use of satellite maps require access to the Internet. Look for the Online indicator on the Status Bar <b>Online</b> in the bottom right corner of the client to determine if CompleteView 20/20 is online. If Online is not indicated, use a static image.</p> <p><b>[See: 61</b> <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>; <a href="https://www.businesswire.com/news/home/20150617005146/en/Salient-Systems-Announces-CompleteView-V4.5-Web-Client">https://www.businesswire.com/news/home/20150617005146/en/Salient-Systems-Announces-CompleteView-V4.5-Web-Client</a>]</p>	TIME	EVENT	CAMERA	SERVER	DESCRIPTION	02:05:46 PM	Motion Start	5	Salient 01	Visual entry	02:05:48 PM	Motion Stop	5	Salient 01	Visual entry	02:05:49 PM	Motion Start	4	Salient 01	Visual entry	02:05:50 PM	Motion Stop	4	Salient 01	Visual entry	02:05:51 PM	Motion Start	5	Salient 01	Visual entry	02:05:52 PM	Motion Stop	5	Salient 01	Visual entry	02:05:53 PM	Motion Start	4	Salient 01	Visual entry	02:05:54 PM	Motion Stop	4	Salient 01	Visual entry	02:05:55 PM	Motion Start	5	Salient 01	Visual entry	02:05:56 PM	Motion Stop	5	Salient 01	Visual entry
TIME	EVENT	CAMERA	SERVER	DESCRIPTION																																																				
02:05:46 PM	Motion Start	5	Salient 01	Visual entry																																																				
02:05:48 PM	Motion Stop	5	Salient 01	Visual entry																																																				
02:05:49 PM	Motion Start	4	Salient 01	Visual entry																																																				
02:05:50 PM	Motion Stop	4	Salient 01	Visual entry																																																				
02:05:51 PM	Motion Start	5	Salient 01	Visual entry																																																				
02:05:52 PM	Motion Stop	5	Salient 01	Visual entry																																																				
02:05:53 PM	Motion Start	4	Salient 01	Visual entry																																																				
02:05:54 PM	Motion Stop	4	Salient 01	Visual entry																																																				
02:05:55 PM	Motion Start	5	Salient 01	Visual entry																																																				
02:05:56 PM	Motion Stop	5	Salient 01	Visual entry																																																				

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>receiving, from a remote viewing device <del>remoted</del> located remotely from the video surveillance system, a request to receive one or more specific streams of the video images;</p> <p>[1.7]</p>	<p><b>[Comment: The mobile device user can select a recorder to view the video feeds in the TouchView Mobile App.]</b></p> <div data-bbox="397 430 922 508" style="border: 2px solid red; padding: 5px; text-align: center;"> <h2 style="margin: 0;">TOUCHVIEW MOBILE</h2> </div> <p>Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</p> <p>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control. CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <div data-bbox="397 903 1263 1579">  <p>The image shows the TouchView Mobile App interface. On the left, a hand holds a tablet displaying a grid of six camera feeds from a security system. On the right, a smartphone displays a single camera feed of a hallway. Both screens are framed by a red border. Below the screens is the Salient Systems logo.</p> </div> <p><b>[See: Page 1 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView Mobile Brochure Dec18_web.pdf</a>; <a href="https://slideplayer.com/slide/11905526/">https://slideplayer.com/slide/11905526/</a>]</b></p>




**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>transmitting, either directly from one or more of the plurality of video sources or from the storage device over the communication link to the remote viewing device, and in the selected video format in the particular resolution, the selected video format being a progressive video format which has a frame rate of less than substantially 24 frames per second using a third set of temporal and spatial parameters associated with each image, a version or versions of one or more of the video images to the remote viewing device, wherein the communication link traverses an external broadband connection between the remote computing device and the network environment; and</p> <p>[1.8]</p>	<p><b>[Comment: The mobile device users can access video live feed or stored content from cameras and servers over the Internet. Further, the frame rate of the video feeds is less than substantially 24 frames per second.]</b></p> <p>Salient's TouchView mobile app has cross platform 'configuration compatibility' with the web client, allowing users to build configurations in the mobile app and transfer them for use in the web client. <u>Combined with Dynamic Resolution Scaling, Salient's network friendly feature for bandwidth management and TouchView Mobile apps for Apple and Android smartphones and tablets, CompleteView offers the fastest call up of megapixel resolution video over remote internet connections.</u></p> <h2>TOUCHVIEW MOBILE</h2> <p>Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</p> <p><u>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system.</u> And, cameras from multiple servers can be accessed simultaneously with PTZ control. <u>CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</u></p> <p>Show Stream Properties</p> <p>Show Stream Properties displays Compression, Frames Per Second, Resolution, Bitrate, and Transcoder information from the Recording Server to Live View. Users may select the display location for the stream's properties.</p>  <p>6. Set Resolution, Compression, and FPS changes that may apply</p>  <p>7. Select Add 8. Save the configuration</p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b><i>Patent Claim Language</i></b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
	<p>Resolution Resolution setting for the camera, contains a pull-down menu; Auto will display for most network cameras</p> <p>Compression MJPEG, MPEG4, H.264</p> <p>FPS Selectable Frames Per Second</p> <p><b>[See: Page 52, 132 and 140</b>  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>; <a href="https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile">https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile</a>;  <a href="https://www.businesswire.com/news/home/20150617005146/en/Salient-Systems-Announces-CompleteView-V4.5-Web-Client">https://www.businesswire.com/news/home/20150617005146/en/Salient-Systems-Announces-CompleteView-V4.5-Web-Client</a>]</p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>displaying only the one or more requested specific streams of the video images on the remote computing device.</p> <p>[1.9]</p>	<p><b>[Comment: The TouchView Mobile App displays the video feeds from the selected recorder(s) and/or camera(s).]</b></p> <div data-bbox="397 430 917 493" style="border: 2px solid red; padding: 5px; text-align: center;"> <h2 style="margin: 0;">TOUCHVIEW MOBILE</h2> </div> <p>Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</p> <p><u>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control.</u> CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <div data-bbox="397 903 1263 1579">  <p>The image shows the TouchView Mobile App interface. On the left, a hand holds a tablet displaying a grid of eight camera feeds from a security system. On the right, a white iPhone displays a similar interface with two camera feeds. A red box highlights the tablet screen, and another red box highlights the iPhone screen. The Salient Systems logo is visible at the bottom right of the app interface.</p> </div> <p><b>[See: Page 1 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf</a>; <a href="https://slideplayer.com/slide/11905526/">https://slideplayer.com/slide/11905526/</a>]</b></p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**


<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>2. The method of claim 1, wherein the remote viewing of the given video stream is contemporaneous with the live viewing and storage.</p> <p>[2.0]</p>	<p><b>[Comment: The TouchView Mobile App allows the user to view live and recorded video streams simultaneously.]</b></p> <h2 style="text-align: center;">TOUCHVIEW MOBILE</h2> <p>Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</p> <p><u>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control. CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</u></p> <div style="border: 1px solid red; padding: 10px; margin-top: 10px;"> <h3 style="background-color: red; color: white; padding: 5px;">TouchView Mobile App</h3> <ul style="list-style-type: none"> <li>• Free TouchView Mobile App available for iPad, iPhone, and Android</li> </ul>  </div> <p><b>[See: Page 1 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView Mobile Brochure Dec18_web.pdf</a>; <a href="https://slideplayer.com/slide/11905526/">https://slideplayer.com/slide/11905526/</a>]</b></p>




**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>3. The method of claim 1, wherein the remote viewing of the given video stream is conducted subsequent to the live viewing and storage.</p> <p>[3.0]</p>	<p><b>[Comment: TouchView mobile app enables the user to view recorded videos where the user has playback controls over the video feed.]</b></p> <p>Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. <u>Bring your video viewing and playback experience along with you wherever you go.</u> TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</p> <p>Play, pause, skip to beginning or end of clip and frame-by-frame advance and reverse playback controls are available. Additionally, the playback progress bar, or scrub bar, can be moved to seek any location in the recording. Playback speed can be adjusted using the rightmost button in the playback controls.</p> <p><b>Recorded Video</b> Permits the user to select Review in Timeline, which opens playback and displays all video feeds of the selected Live View</p> <p><b>Add to Favorites</b> The highlighted view is added to the favorites container</p> <p><b>View Recorded Video from Live View</b></p> <p>Review recorded video for a specific camera from a view layout.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. From the Navigation Pane, right-click on any view.</li> <li>2. Select Recorded Video from the menu,</li> <li>3. Then select Review in Timeline</li> </ol>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
	 <p>Help</p> <p>Toolbar</p> <p>Video Review Panel</p> <p>Navigation Panel</p> <p>Video Playback Control Panel</p> <p>Video Tile Right-click Menu</p> <p>Playback Toolbar</p> <p>Playback hosts a toolbar in the top right corner of the Toolbar Panel. Icons in the toolbar are unique to Playback.</p> <p>[See: Page 56, 70  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a> ; <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf</a> ;  <a href="https://www.salientsys.com/files/android_help_files/android_app.html">https://www.salientsys.com/files/android_help_files/android_app.html</a> ]</p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**


<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>4. The method of claim 1, wherein the remote computing device and the network environment communicate through the Internet.</p> <p>[4.0]</p>	<p><b>[Comment: The CompleteView 20/20 VMS enables the remote device (such as a mobile phone or a tablet) to view the videos stored on CompleteView servers over the Internet.]</b></p> <p>Salient's TouchView mobile app has cross platform 'configuration compatibility' with the web client, allowing users to build configurations in the mobile app and transfer them for use in the web client. Combined with Dynamic Resolution Scaling, Salient's network friendly feature for bandwidth management and TouchView Mobile apps for Apple and Android smartphones and tablets, <u>CompleteView offers the fastest call up of megapixel resolution video over remote internet connections.</u></p>  <p>Create a Map in Custom/Favorites</p> <p>The use of satellite maps require access to the Internet. Look for the Online indicator on the Status Bar <b>Online</b> in the bottom right corner of the client to determine if CompleteView 20/20 is online. If Online is not indicated, use a static image.</p> <p><b>[See: 61</b>  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>;  <a href="https://www.businesswire.com/news/home/20150617005146/en/Salient-Systems-Announces-CompleteView-V4.5-Web-Client">https://www.businesswire.com/news/home/20150617005146/en/Salient-Systems-Announces-CompleteView-V4.5-Web-Client</a>]</p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>5. The method of claim 1, wherein <b>the broadband connection has a bandwidth of 2-6 Megabits per second (Mbps).</b></p> <p>[5.0]</p>	<p><b><i>This is a typical characteristic of Remote connections.</i></b></p>



**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>6. A method of viewing, on a remote viewing device of a video surveillance system, multiple simultaneously displayed and stored video images, comprising the steps of:</p> <p>[6.0]</p>	<p><b>CompleteView 20/20 VMS</b></p>  <p><b>[Comment: Salient TouchView Mobile is powered by the Salient CompleteView 20/20 VMS and allows the user to access HD Videos from CompleteView 20/20 recording server (Cloud based surveillance system). The user can view multiple live and recorded videos, that are recorded by recorders, on his mobile device using the TouchView Mobile App.]</b></p> <p><b>TOUCHVIEW MOBILE</b></p> <p>Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. <u>TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</u></p> <p><u>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control.</u> CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <div data-bbox="394 1155 1323 1669"> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>Seamless integration with Salient's CompleteView 20/20 VMS</li> <li>Full interaction with CompleteView 20/20 live video, audio and recordings</li> <li>Utilizes CompleteView 20/20's Dynamic Resolution</li> <li>Scaling providing optimized video transmission over slow connections</li> <li>Incorporates analog, IP, megapixel, and HD video available from CompleteView 20/20</li> <li>On-screen PTZ camera controls</li> <li>Built in support for analog cameras, IP cameras and encoders</li> <li>Advanced playback capability, including scrub bar control</li> <li>Customizable view layouts</li> <li>Secure Connections using HTTPS</li> </ul>  </div> <p><b>[See: Page 1 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView Mobile Brochure Dec18_web.pdf</a>]</b></p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>receiving video images at a personal computer based system from a plurality of video sources, wherein each of the plurality of video sources comprises a camera of the video surveillance system;</p> <p>[6.1]</p>	<p><b>[Comment: The TouchView Mobile App receives videos from multiple cameras. The video feeds can also be viewed on any client device (such as a PC etc.) via Complete View 20/20 VMS.]</b></p> <p>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control. CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <div data-bbox="391 669 724 1339"> </div> <div data-bbox="800 705 1127 1325"> </div> <p>CompleteView 20/20 is the engine of Salient Security Platform's VMS. In its simplest form, a Video Management System consists of <u>Cameras, Video Servers and Video Clients</u>. Cameras generate video streams. Servers accept video streams as input, perform video stream processing, record video, and make <u>live and recorded video available to video clients</u>. Clients present live and recorded video from servers to end-users.</p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
	<p><b>Camera Panel</b></p> <p>The Camera Panel provides both real-time video alerts as well as video associated with an alarm or motion event generated by the server or its associated alarm devices or cameras. Analog video associated with an alarm also displays in the panel.</p> <p>Using the Layout Options menu and the Camera Layout submenu, users select from 4- 64 cameras to populate the Camera Panel. The panels in Alarm View may be floated.</p>  <p>[See: Page 1,2 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf</a>; <a href="https://play.google.com/store/apps/details?id=com.salientsystems.complteviewnvr&amp;hl=en">https://play.google.com/store/apps/details?id=com.salientsystems.complteviewnvr&amp;hl=en</a> ; <a href="https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile">https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile</a> ; Page 18, 42 <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a> ]</p>



**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>digitizing any of the images not already in digital form using an analog-to-digital converter;</p> <p>[6.2]</p>	<p><b>[Comment: TouchView mobile app provides in-built support for analog cameras and encoders. Also in CompleteView 20/20 VMS, the user can configure the settings for analog cameras to convert videos into any format such as H.264, MPEG-4 and so on.]</b></p> <div data-bbox="394 474 902 930"> <p><b>FEATURES</b></p> <ul style="list-style-type: none"> <li>Seamless integration with Salient's CompleteView 20/20 VMS</li> <li>Full interaction with CompleteView 20/20 live video, audio and recordings</li> <li>Utilizes CompleteView 20/20's Dynamic Resolution</li> <li>Scaling providing optimized video transmission over slow connections</li> <li>Incorporates analog, IP, megapixel, and HD video available from CompleteView 20/20</li> <li>On-screen PTZ camera controls</li> <li>Built in support for analog cameras, IP cameras and encoders</li> </ul> </div> <div data-bbox="922 474 1487 930"> <p><b>Add Analog Cameras</b></p> <p><b>Note:</b> The capture card must be added to the Recording Server before proceeding.</p> <p><b>Steps:</b></p> <ol style="list-style-type: none"> <li>1. Select Analog as the Connection Type</li> <li>2. Select Driver Type Gen II</li> <li>3. The capture card's channels will appear</li> <li>4. Check the boxes associated with the camera channels to be enabled</li> <li>5. Camera names can be added by clicking in the Camera Name box and entering a camera name in place of the default text (Gen II Capture Card #)</li> <li>6. Set Resolution, Compression, and FPS changes that may apply</li> <li>7. Select Add</li> <li>8. Save the configuration</li> </ol> </div> <div data-bbox="402 999 1451 1318"> </div> <p><b>Discovering Video Devices</b></p> <p>Clicking the Video Device button outlined below launches a Camera Discovery subpanel. The Video Devices panel displays cameras, capture cards and encoders that have been discovered, but are not yet added to a Recording Server.</p> <p>When the panel is closed, the Video Device button is found at the bottom left corner of the Camera Settings Panel.</p> <p><b>[See: Page 135, 137, 162</b>  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>; Page 1 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec_18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec_18_web.pdf</a> ]</p>





**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>displaying one or more of the digitized images in separate windows on a personal computer based display device, using a first set of temporal and spatial parameters associated with each image in each window;</p> <p>[6.3]</p>	<p><b>[Comment: The TouchView Mobile App/ CompleteView VMS displays the videos from different cameras in separate windows (as shown). Each window is associated with spatial (such as the image frame dimensions in pixels etc.) and temporal (such as the video Frame Rate etc.) parameters. Further, TouchView/CompleteView video system provides alerts and alarms with intelligent camera analytics.]</b></p> <div data-bbox="402 569 1273 1241"> <p>The image shows a promotional graphic for the 'TouchView Mobile App'. At the top, a red banner contains the text 'TouchView Mobile App'. Below this, a bullet point states: 'Free TouchView Mobile App available for iPad, iPhone, and Android'. The central part of the graphic features a hand holding a tablet displaying a grid of eight camera feeds from various indoor locations. To the right of the tablet is a white iPhone displaying a single camera feed of a hallway. At the bottom right, the 'SALIENT SYSTEMS' logo is visible.</p> </div>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS****Patent Claim Language****TouchView Mobile - Salient's CompleteView 20/20 VMS****Video Client – Media and Multiview**

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS****Patent Claim Language****TouchView Mobile - Salient's CompleteView 20/20 VMS****Alarm View Panels**

The default Alarm Panel consists of four panels. Each of the panels and their features will be detailed in its own section.

**Triggering Video Alerts**



Alarm View camera tiles remain black, illustrated above, until either motion or an alarm are triggered. To generate video, the Administrator will properly configure motion recording and establish an Alarm and Motion Display schedule. Click [Recording Servers Camera Motion Panel](#) to learn more about configuring motion recording.

[See: Page 41, 42

[https://www.salientsys.com/assets/uploads/docs/CV\\_2020\\_v1.0.0\\_Documentation\\_Jan19.pdf](https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf); <https://slideplayer.com/slide/11905526/>]



**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**


<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>converting one or more of the video source images into a selected video format in a particular resolution, using a second set of temporal and spatial parameters associated with each image;</p> <p>[6.4]</p> <p><b><u>Please Note:</u></b></p> <p>The computer storage format is a "container" for the audio and video information, which is encoded in some compression codec. Popular computer storage formats include MOV, AVI, etc.</p>	<p><b>[Comment: TouchView Mobile/ CompleteView VMS automatically scales the video being rendered on the mobile device.]</b></p> <div data-bbox="397 445 1442 640" style="border: 1px solid black; padding: 5px;"> <p>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control. CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> </div> <p>Show Stream Properties</p> <p>Show Stream Properties displays Compression, Frames Per Second, Resolution, Bitrate, and Transcoder information from the Recording Server to Live View. Users may select the display location for the stream's properties.</p> <div data-bbox="397 802 1205 1108">  </div> <p>6. Set Resolution, Compression, and FPS changes that may apply</p> <div data-bbox="435 1165 977 1302">  </div> <p>7. Select Add</p> <p>8. Save the configuration</p> <div data-bbox="397 1390 1230 1566" style="border: 1px solid black; padding: 5px;"> <p>Resolution Resolution setting for the camera, contains a pull-down menu; Auto will display for most network cameras</p> <p>Compression MJPEG, MPEG4, H.264</p> <p>FPS Selectable Frames Per Second</p> </div> <p><b>[See: Page 52, 132 and 140</b>  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>;  <a href="https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile">https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile</a>]</p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**


<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>contemporaneously storing at least a subset of the converted images in a storage device in a network environment;</p> <p>[6.5]</p>	<p><b>[Comment: The Salient VMS Server stores the videos in a networked environment, where the videos can be simulatneously viewed on any client device (Mobile/Desktop).]</b></p> <h2 data-bbox="407 472 911 520">TOUCHVIEW MOBILE</h2> <p data-bbox="407 567 1291 724">Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. <u>TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</u></p> <p data-bbox="407 751 1291 909">Users can instantly access, monitor and review live and recorded video from <u>any camera connected to any CompleteView 20/20 recording server in the system.</u> And, <u>cameras from multiple servers can be accessed simultaneously with PTZ control.</u> CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <div data-bbox="440 947 1109 1614"> </div> <p data-bbox="407 1686 1398 1743">CompleteView 20/20 is the engine of Salient Security Platform's VMS. In its simplest form, a Video Management System consists of Cameras, Video Servers and Video Clients.</p> <p data-bbox="407 1753 1433 1835">Cameras generate video streams. Servers accept video streams as input, <u>perform video stream processing, record video, and make live and recorded video available to video clients.</u> Clients present live and recorded video from servers to end-users.</p> <p data-bbox="407 1848 1330 1877">CompleteView 20/20 implements these functions through three primary components.</p>



**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
	<p><b>Core Components</b></p> <p>The core components of CV20/20 include the management server, recording server, and desktop client.</p>  <pre> graph TD     MS[Management Server] &lt;--&gt; RS[Recording Server]     MS &lt;--&gt; DC[Desktop Client]     RS &lt;--&gt; DC </pre> <p>The above diagram illustrates these core components and their interactions. Components will be able to interact with one another through service calls and by listening to events. Management server will serve as central repository of all data related to the entire system. Recording server will be responsible for all VMS functionalities and services. Desktop client will be the user facing tool for both administering and monitoring the system. All other components, servers and clients will be built based on these core components.</p> <p><b>[See: Page 18 and 19</b>  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>; <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf</a> ]</p>


**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>providing a communications link to allow an external viewing device to access the storage device;</p> <p>[6.6]</p>	<p><b>[Comment: The CompleteView 20/20 VMS enables the remote device (such as a mobile phone or a tablet) to view the videos stored on CompleteView servers over the Internet.]</b></p> <p>Salient's TouchView mobile app has cross platform 'configuration compatibility' with the web client, allowing users to build configurations in the mobile app and transfer them for use in the web client. Combined with Dynamic Resolution Scaling, Salient's network friendly feature for bandwidth management and TouchView Mobile apps for Apple and Android smartphones and tablets, <u>CompleteView offers the fastest call up of megapixel resolution video over remote internet connections.</u></p>  <p>The screenshot displays the CompleteView 20/20 VMS interface. On the left is a sidebar with navigation options: Home / Maps, Search, Views, Maps, System / Favorites, Custom, Views, Maps, Favorites, and System / Cameras. The main area shows a grid of camera feeds. A map is visible in the bottom right corner. A status bar at the bottom right indicates 'Online' with a red dot icon.</p> <p><b>Create a Map in Custom/Favorites</b></p> <p>The use of satellite maps require access to the Internet. Look for the Online indicator on the Status Bar <b>Online</b> in the bottom right corner of the client to determine if CompleteView 20/20 is online. If Online is not indicated, use a static image.</p> <p><b>[See: 61</b>  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>;  <a href="https://www.businesswire.com/news/home/20150617005146/en/Salient-Systems-Announces-CompleteView-V4.5-Web-Client">https://www.businesswire.com/news/home/20150617005146/en/Salient-Systems-Announces-CompleteView-V4.5-Web-Client</a>]</p>


**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>receiving, from a remote viewing device <del>remoted</del> located remotely from the video surveillance system, a request to receive one or more specific streams of the video images;</p> <p>[6.7]</p>	<p><b>[Comment: The mobile device user can select a recorder to view the video feeds in the TouchView Mobile App.]</b></p> <div data-bbox="397 430 922 506" style="border: 2px solid red; padding: 5px; text-align: center;"> <h2 style="margin: 0;">TOUCHVIEW MOBILE</h2> </div> <p>Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</p> <p><u>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control.</u> CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <div data-bbox="397 905 1263 1581">  <p>The image shows the TouchView Mobile App interface. On the left, a hand holds a tablet displaying a grid of six camera feeds from a security system. On the right, a smartphone displays a single camera feed of a hallway. Both screens are framed by a red border. Below the screens is the Salient Systems logo.</p> </div> <p><b>[See: Page 1 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf</a>; <a href="https://slideplayer.com/slide/11905526/">https://slideplayer.com/slide/11905526/</a>]</b></p>

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>transmitting, either directly from one or more of the plurality of video sources or from the storage device over the communication link traversing the Internet to the remote viewing device, and in the selected video format in the particular resolution, the selected video format being a progressive video format which has a frame rate of less than substantially 24 frames per second using a third set of temporal and spatial parameters associated with each image, a version or versions of one or more of the video images to the remote viewing device; and</p> <p>[6.8]</p>	<p><b>[Comment: The mobile device users can access video live feed or stored content from cameras and servers over the Internet. Further, the frame rate of the video feeds is less than substantially 24 frames per second.]</b></p> <p>Salient's TouchView mobile app has cross platform 'configuration compatibility' with the web client, allowing users to build configurations in the mobile app and transfer them for use in the web client. <u>Combined with Dynamic Resolution Scaling, Salient's network friendly feature for bandwidth management and TouchView Mobile apps for Apple and Android smartphones and tablets, CompleteView offers the fastest call up of megapixel resolution video over remote internet connections.</u></p> <h2>TOUCHVIEW MOBILE</h2> <p>Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</p> <p><u>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system.</u> And, cameras from multiple servers can be accessed simultaneously with PTZ control. <u>CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</u></p> <p>Show Stream Properties</p> <p>Show Stream Properties displays Compression, Frames Per Second, Resolution, Bitrate, and Transcoder information from the Recording Server to Live View. Users may select the display location for the stream's properties.</p> 

**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
	<p data-bbox="412 317 976 342">6. Set Resolution, Compression, and FPS changes that may apply</p> <div data-bbox="443 338 777 474">  </div> <p data-bbox="412 474 537 495">7. Select Add</p> <p data-bbox="412 495 639 520">8. Save the configuration</p> <div data-bbox="402 646 1218 804"> <p>Resolution Resolution setting for the camera, contains a pull-down menu; Auto will display for most network cameras</p> <p>Compression MJPEG, MPEG4, H.264</p> <p>FPS Selectable Frames Per Second</p> </div> <p data-bbox="394 850 1534 1041"> <b>[See: Page 52, 132 and 140</b>  <a href="https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf">https://www.salientsys.com/assets/uploads/docs/CV_2020_v1.0.0_Documentation_Jan19.pdf</a>; <a href="https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile">https://support.salientsys.com/hc/en-us/articles/115003918507-TouchView-Mobile</a>;  <a href="https://www.businesswire.com/news/home/20150617005146/en/Salient-Systems-Announces-CompleteView-V4.5-Web-Client">https://www.businesswire.com/news/home/20150617005146/en/Salient-Systems-Announces-CompleteView-V4.5-Web-Client</a> <b>]</b> </p>



**CLAIM CHART FOR US PATENT NO 10,499,091 as applied to Salient TouchView App – VMS**

<b>Patent Claim Language</b>	<b>TouchView Mobile - Salient's CompleteView 20/20 VMS</b>
<p>displaying only the one or more requested specific streams of the video images on the remote computing device.</p> <p>[6.9]</p>	<p><b>[Comment: The TouchView Mobile App displays the video feeds from the selected recorder(s) and/or camera(s).]</b></p> <div data-bbox="397 430 922 493" style="border: 2px solid red; padding: 5px; text-align: center;"> <h2 style="margin: 0;">TOUCHVIEW MOBILE</h2> </div> <p>Salient offers mobile apps for the iPhone®, iPad®, iPod® touch and Android™ smartphones. Bring your video viewing and playback experience along with you wherever you go. TouchView™ Mobile combines the power of Salient's CompleteView 20/20™ video management system with the freedom of mobile access to live video, recorded video with audio playback and PTZ camera control from a powerful, fully integrated interface.</p> <p><u>Users can instantly access, monitor and review live and recorded video from any camera connected to any CompleteView 20/20 recording server in the system. And, cameras from multiple servers can be accessed simultaneously with PTZ control.</u> CompleteView 20/20's powerful DRS (dynamic resolution scaling) automatically sizes the video for live viewing, significantly reducing network usage and providing higher frame rates over mobile connections.</p> <div data-bbox="397 903 1263 1579">  <p>The image shows the TouchView Mobile App interface. On the left, a hand holds a tablet displaying a grid of eight camera feeds from a security system. On the right, a white iPhone displays a similar interface with two camera feeds. A red box highlights the app's interface on both devices. The Salient Systems logo is visible at the bottom right of the app interface.</p> </div> <p><b>[See: Page 1 <a href="https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView_Mobile_Brochure_Dec18_web.pdf">https://support.salientsys.com/hc/en-us/article_attachments/360020045833/TouchView Mobile Brochure Dec18_web.pdf</a>; <a href="https://slideplayer.com/slide/11905526/">https://slideplayer.com/slide/11905526/</a>]</b></p>